



Test Report issued under the responsibility of:



**TEST REPORT**  
**IEC 60598-2-3**  
**Luminaires**  
**Part 2: Particular requirements**  
**Section 3: Luminaires for road and street lighting**

**Report Number.** .....: **CN21NN6Y 002**  
**Date of issue** .....: **2021.10.12**  
**Total number of pages** .....: **11 pages**

**Name of Testing Laboratory preparing the Report**.....: **TÜV Rheinland (Shanghai) Co., Ltd.**  
No. 177, 178, Lane 777 West Guangzhong Road Jing'an District  
Shanghai CHINA

**Applicant's name**.....: **Jiangsu Sokoyo Solar Lighting Co., Ltd.**  
**Address** .....: West Guoji Industry Park, Northern Suburb of Yangzhou City,  
Jiangsu, P.R. China

**Test specification:**  
**Standard** .....: IEC 60598-2-3:2002, AMD1:2011 used in conjunction with  
IEC 60598-1:2014, AMD1:2017  
**Test procedure** .....: CB Scheme  
**Non-standard test method**.....: N/A

**Test Report Form No.**.....: IEC60598\_2\_3L  
**Test Report Form(s) Originator**....: Intertek Semko AB  
**Master TRF**.....: Dated 2018-03-09

**Copyright © 2018 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.**

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.

**This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.**

**General disclaimer:**

The test results presented in this report relate only to the object tested.  
This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.


<b>Test item description</b> ..... :	<b>LED Street Light</b>	
<b>Trade Mark</b> ..... :	<b>SOKOYO®</b>	
<b>Manufacturer</b> ..... :	Jiangsu Sokoyo Solar Lighting Co., Ltd.	
<b>Model/Type reference</b> .....	KY-F-XC-001, KY-F-XC-002, KY-F-HX-001, KY-F-HX-002 KY-F-HX-003, KY-F-HX-004 details see model list on page 7	
<b>Ratings</b> ..... :	Class III; IP65; ta=35°C details see 'General product information'	
<b>Responsible Testing Laboratory (as applicable), testing procedure and testing location(s):</b>		
<input checked="" type="checkbox"/>	<b>CB Testing Laboratory:</b>	<b>TÜV Rheinland (Shanghai) Co., Ltd.</b>
<b>Testing location/ address</b> .....	No. 177, 178, Lane 777 West Guangzhong Road Jing'an District Shanghai CHINA	
<b>Tested by (name, function, signature)</b> .....	Mark Geng/Trainee Fernando Dai / PE	<i>Mark Geng. Fernando Dai</i>
<b>Approved by (name, function, signature)</b> ..:	Alex Yan / Reviewer	<i>Alex Yan</i>
<input type="checkbox"/>	<b>Testing procedure: CTF Stage 1:</b>	
<b>Testing location/ address</b> .....	N/A	
<b>Tested by (name, function, signature)</b> .....	N/A	
<b>Approved by (name, function, signature)</b> ..:	N/A	
<input type="checkbox"/>	<b>Testing procedure: CTF Stage 2:</b>	
<b>Testing location/ address</b> .....	N/A	
<b>Tested by (name + signature)</b> .....	N/A	
<b>Witnessed by (name, function, signature)</b> ..:	N/A	
<b>Approved by (name, function, signature)</b> ..:	N/A	
<input type="checkbox"/>	<b>Testing procedure: CTF Stage 3:</b>	
<input type="checkbox"/>	<b>Testing procedure: CTF Stage 4:</b>	
<b>Testing location/ address</b> .....	N/A	
<b>Tested by (name, function, signature)</b> .....	N/A	
<b>Witnessed by (name, function, signature)</b> ..:	N/A	
<b>Approved by (name, function, signature)</b> ..:	N/A	
<b>Supervised by (name, function, signature)</b> :	N/A	

<b>List of Attachments (including a total number of pages in each attachment):</b> N/A	
<b>Summary of testing:</b>	
<b>Tests performed (name of test and test clause):</b> Clause 3 according to IEC 60598-2-3:2002, AMD1:2011 used in conjunction with IEC 60598-1:2014, AMD1:2017 were performed in <b>TÜV Rheinland (Shanghai) Co., Ltd.</b>	<b>Testing location:</b> <b>TÜV Rheinland (Shanghai) Co., Ltd.</b> No. 177, 178, Lane 777 West Guangzhong Road Jing'an District Shanghai CHINA
<b>Summary of compliance with National Differences:</b> N/A	

**Copy of marking plate:**

The artwork below may be only a draft. The use of certification marks on a product must be authorized by the respective NCBS that own these marks.

Take model KY-Y-YJ-004 as example



Model name	Input voltage (dc)	Rated current	Rating Wattage
KY-F-XC-001	36V	1,11A	40W
KY-F-XC-002	36V	1,67A	60W
KY-F-HX-001	42V	1,91A	80W
KY-F-HX-002	48V	2,08A	100W
KY-F-HX-003	48V	2,5A	120W
KY-F-HX-004	48V	3,13A	150W
KY-F-FY-001	30V	1,33A	40W
KY-F-FY-002	48V	1,25A	60W
KY-F-JX-001	48V	1,25A	60W
KY-F-HT-001	42V	1,91A	80W
KY-F-HT-002	48V	2,08A	100W
KY-F-HT-003	48V	2,5A	120W
KY-E-FY-001	30V	1,33A	40W
KY-E-JX-001	30V	1,33A	40W
KY-E-HT-001	42V	0,95A	40W
KY-E-HT-002	42V	1,19A	50W
KY-E-HT-003	42V	1,43A	60W
KY-E-HT-004	42V	1,67A	70W
KY-Y-YF-001	30V	1A	30W
KY-Y-YF-002	30V	1,33A	40W
KY-Y-YF-003	30V	1,67A	50W
KY-Y-YF-004	30V	2A	60W
KY-Y-YJ-001	48V	1,25A	60W
KY-Y-YJ-002	42V	1,91A	80W
KY-Y-YJ-003	48V	2,5A	120W
<b>KY-Y-YJ-004</b>	<b>48V</b>	<b>1,66A</b>	<b>80W</b>
KY-D-HY-001	30V	1,33A	40W
KY-D-XC-001	36V	1,67A	60W
KY-D-HX-001	42V	1,91A	80W
KY-D-HX-002	48V	2,08A	100W
KY-D-HX-003	48V	2,5A	120W
KY-D-HX-004	48V	3,13A	150W

KY-D-HX-005	48V	3,75A	180W
KY-D-HX-006	48V	4,17A	200W
KY-D-HX-007	48V	5A	240W

The height of letters and numerals shall not be less than 2mm.

The height of graphical symbols shall not be less than 5 mm.

The height of symbol of WEEE shall not be less than 7 mm.

<b>Test item particulars..... : LED Street Light</b>	
<b>Classification of installation and use..... : Class III</b>	
<b>Supply Connection..... : DC connector</b> ..... :	
<b>Possible test case verdicts:</b> - test case does not apply to the test object..... : N/A - test object does meet the requirement ..... : P (Pass) - test object does not meet the requirement..... : F (Fail)	
<b>Testing ..... :</b> <b>Date of receipt of test item..... : 2021.09.10</b> <b>Date (s) of performance of tests ..... : 2021.10.10</b>	
<b>General remarks:</b> "(See Enclosure #)" refers to additional information appended to the report. "(See appended table)" refers to a table appended to the report. <b>Throughout this report a <input checked="" type="checkbox"/> comma / <input type="checkbox"/> point is used as the decimal separator.</b> <b>Clause numbers between brackets refer to clauses in IEC 60598-1</b>	
<b>Manufacturer's Declaration per sub-clause 4.2.5 of IEC 02:</b>	
The application for obtaining a CB Test Certificate includes more than one factory location and a declaration from the Manufacturer stating that the sample(s) submitted for evaluation is (are) representative of the products from each factory has been provided.....:	<input type="checkbox"/> <b>Yes</b> <input checked="" type="checkbox"/> <b>Not applicable</b>
<b>When differences exist; they shall be identified in the General product information section.</b>	
<b>Name and address of factory (ies) ..... : Jiangsu Sokoyo Solar Lighting Co., Ltd.</b> West Guoji Industry Park, Northern Suburb of Yangzhou City, Jiangsu P.R. China	

**General product information:**

This original test report CN21NN6Y 001 dated 2021.10.08 was modified on 2021.10.12 with the following changes:

Add new models KY-Y-YJ-004. It is same as previous certified model KY-Y-YJ-003 except lower rating.

Model list:

Model name	Input voltage	Rating Wattage	Dimension (mm*mm*mm)	LED quantity	Pipe diameter (mm)
<b>KY-Y-YJ-004</b>	<b>48Vdc</b>	<b>80W</b>	<b>680*1980*90</b>	<b>84</b>	<b>102</b>

Clause 3 according to IEC 60598-2-3:2002, AMD1:2011 used in conjunction with IEC 60598-1:2014, AMD1:2017 were tested and passed

**History:**

Report No.: CN21NN6Y 001 date 2021.10.08, original report.

Report No.: CN21NN6Y 002 date 2021.10.12, technical modification.

IEC 60598-2-3			
Clause	Requirement + Test	Result - Remark	Verdict

3.2 (0)	GENERAL TEST REQUIREMENTS		P
3.2 (0.3)	More sections applicable..... :	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Section/s:	—
3.2 (0.5)	Components	(see Annex 1)	—
<b>3.2 (0.7)</b>	<b>Information for luminaire design in light sources standards</b>		—
3.2 (0.7.2)	Light source safety standard .....	IEC 62031, IEC TR 62778	—
	Luminaire design in the light source safety standard		P

3.4 (2)	CLASSIFICATION OF LUMINAIRES		P
3.4 (2.2)	Type of protection .....	Class III	P
3.4 (2.3)	Degree of protection..... :	IP65	—
3.4 (2.4)	Luminaire suitable for direct mounting on normally flammable surfaces .....	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	—
3.4 (2.5)	Luminaire for normal use .....	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	—
	Luminaire for rough service .....	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	—
3.4 (-)	Modes of installation of road or street lighting		—
	a) on a pipe	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	—
	b) on a mast arm	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	—
	c) on a post top	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	—
	d) on span or suspension wires	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	—
	e) on a wall	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	—

3.5 (3)	MARKING		P
3.5 (3.2)	Mandatory markings		P
	Position of the marking	Attached on the external surface / supply cord	P
	Format of symbols/text		P
3.5 (3.3)	Additional information		P
	Language of instructions		P
3.5 (3.3.1)	Combination luminaires		N/A
3.5 (3.3.2)	Nominal frequency in Hz		N/A
3.5 (3.3.3)	Operating temperature		N/A
3.5 (3.3.5)	Wiring diagram		N/A
3.5 (3.3.6)	Special conditions		N/A



IEC 60598-2-3			
Clause	Requirement + Test	Result - Remark	Verdict
3.5 (3.3.7)	Metal halide lamp luminaire – warning		N/A
3.5 (3.3.8)	Limitation for semi-luminaires		N/A
3.5 (3.3.9)	Power factor and supply current		P
3.5 (3.3.10)	Suitability for use indoors		N/A
3.5 (3.3.11)	Luminaires with remote control		N/A
3.5 (3.3.12)	Clip-mounted luminaire – warning		N/A
3.5 (3.3.13)	Specifications of protective shields		N/A
3.5 (3.3.14)	Symbol for nature of supply		N/A
3.5 (3.3.15)	Rated current of socket outlet		N/A
3.5 (3.3.16)	Rough service luminaire		N/A
3.5 (3.3.17)	Mounting instruction for type Y, type Z and some type X attachments	Type Y	P
3.5 (3.3.18)	Non-ordinary luminaires with PVC cable		N/A
3.5 (3.3.19)	Protective conductor current in instruction if applicable		N/A
3.5 (3.3.20)	Provided with information if not intended to be mounted within arm's reach		N/A
3.5 (3.3.21)	Non-replaceable and non-user replaceable light sources information provided	non-user replaceable	P
3.5 (3.3.22)	Controllable luminaires, classification of insulation provided		N/A
3.5 (3.3.23)	Luminaire without controlgear provided with necessary information for selection of appropriate component		N/A
3.5 (3.3.24)	If not supplied with terminal block, information on the packaging		N/A
3.5 (3.4)	Test with water		P
	Test with hexane		P
	Legible after test		P
	Label attached		P
3.5 (-)	Additional information in instruction leaflet		P
	a) Design attitude		P
	b) Weight		P
	c) Overall dimensions		P
	d) Maximum projected area if applicable		P
	e) Cross-sectional area of wires if applicable		N/A
	f) Suitability for indoors use		N/A

<b>IEC 60598-2-3</b>			
<b>Clause</b>	<b>Requirement + Test</b>	<b>Result - Remark</b>	<b>Verdict</b>
	g) Dimensions of the compartment		N/A
	h) Torque setting to be applied to bolts or screws		P
	i) Maximum mounting height		P
<b>3.6 (4)</b>	<b>CONSTRUCTION</b>		N/A
<b>3.7 (11)</b>	<b>CREEPAGE DISTANCES AND CLEARANCES</b>		N/A
<b>3.8 (7)</b>	<b>PROVISION FOR EARTHING</b>		N/A
<b>3.9 (14)</b>	<b>SCREW TERMINALS</b>		N/A
<b>3.9 (15)</b>	<b>SCREWLESS TERMINALS AND ELECTRICAL CONNECTIONS</b>		N/A
<b>3.10 (5)</b>	<b>EXTERNAL AND INTERNAL WIRING</b>		N/A
<b>3.11 (8)</b>	<b>PROTECTION AGAINST ELECTRIC SHOCK</b>		N/A
<b>3.12 (12)</b>	<b>ENDURANCE TEST AND THERMAL TEST</b>		N/A
<b>3.13 (9)</b>	<b>RESISTANCE TO DUST AND MOISTURE</b>		N/A
<b>3.14 (10)</b>	<b>INSULATION RESISTANCE AND ELECTRIC STRENGTH</b>		N/A

<b>IEC 60598-2-3</b>			
<b>Clause</b>	<b>Requirement + Test</b>	<b>Result - Remark</b>	<b>Verdict</b>
<b>3.15 (13)</b>	<b>RESISTANCE TO HEAT, FIRE AND TRACKING</b>		<b>N/A</b>
<b>3.7 (11.2)</b>	<b>TABLE I: Creepage distances and clearances</b>		<b>N/A</b>
<b>3.7 (11.2)</b>	<b>TABLE II: Creepage distances and clearances</b>		<b>N/A</b>
<b>3.15 (13.2.1)</b>	<b>TABLE: Ball Pressure Test of Thermoplastics</b>		<b>N/A</b>
<b>3.15 (13.3.1)</b>	<b>TABLE: Needle-flame test (IEC 60695-11-5)</b>		<b>N/A</b>
<b>3.15 (13.3.2)</b>	<b>TABLE: Glow-wire test (IEC 60695-2-11)</b>		<b>N/A</b>
<b>3.15 (13.4)</b>	<b>TABLE: Proof tracking test (IEC 60112)</b>		<b>N/A</b>
<b>ANNEX 1</b>	<b>TABLE: Critical components information</b>		<b>N/A</b>
<b>ANNEX 2</b>	<b>TABLE: Thermal tests of Section 12</b>		<b>N/A</b>
<b>ANNEX 2</b>	<b>TABLE: Thermal tests of Section 12</b>		<b>N/A</b>
<b>ANNEX 3</b>	<b>Screw terminals (part of the luminaire)</b>		<b>N/A</b>
<b>ANNEX 4</b>	<b>Screwless terminals (part of the luminaire)</b>		<b>N/A</b>
<b>(15.6.3.1) (15.6.3.2)</b>	<b>TABLE: Contact resistance test / Heating tests</b>		<b>N/A</b>

- End of test report --